WO 2004/020582

PCT/US2003/026075

1/23

SEQ ID NO:1

FIG. 1A

BEST AVAILABLE COPY

		2/23
3	824	CTTCTCTCCCCCTTCTATGGATAZAACTTTCAAGGAACCCAGCTATTTAGTCGTCG
4	275	TEACTTCGCGCTGCACCTAACAGACCTTGAAACAGGAACCCAGCTATTTAGTGGTCG
3	1	CJACTTEGCCCTGCACCTAACAGACCTTGAAACAGGAACCCAACTGTTTAGTGGTCA
1 consensus	841	CSACTIFIC CTIGLACCTAALAGATET FGAAALAGGAACCCAAGTGTT FGTGGTCA
COMBERNA	011	,
3	879	AAGTGACTTTAGAATCACTACCTTGAAATTCCATCCAAAAGACCACAACATCTTTTTATG
4 2	332 1	AAGTGACTTTAGAATCACTACCTTGAAATTCCATCCAAAAGACCACAACATCTTTTTATG
1	308	SACTGACTT AGAGTCAC ACCTTGAAATT CATCCAAAAGAACACAACGTCTTTT
consensus	901	
3	939	rggaggcttcagctctgaaatgaaagcttgugatataaggactgscaasgtgatgagaag
4	392	TGGAGGCTTCAGCTCTGAAATGAAAGCTTGGGATATAAGGACTGGCAAGGTGATGAGAAG TGGAGGCTTCAGCTCTGAAATGAAA
2	11	rgg_ggcttcasctctgaaat <mark>c</mark> aa <mark>cs</mark> egascatgacactgacaaagtogtgaaags
1		
consensus	961	
3	999	CTACAAGGCGACCATCCAGCAGACCTTGGACATCCTOTTCCTCCGGGAAGGCTCCGAGTT
4	452	CTACAAGGCGACCATCCAGCAGACCTTGGACATCCTGTTCCTCCGGGAAGGCTCCGAGTT
2	71	CTACAAGGC <mark>ACCATCCAGCAGACCC</mark> TGGACAT <mark>A</mark> CT <mark>ATCCTCCAGGAGGGCTCCGAGTT</mark>
1		
consensus	1021	
3	1059	CCTGAGCAGCACAGACGCTTCCACCGGGACTCAGCTGACCGCACCATTATTGCCTGGGA
4	512	CCTGAGCAGCACAGACGCTTCCACCCGGGACTCAGCTGACCGCACCATTATTGCCTGGGA
2	131	TCT-AGCAG-ACGGACGCATCCACCGGGGACTCT-BCTGACCGAACCATTATCGCCTGGGA
consensus	1001	
Consensus	TOOT	•••••
3	1119	
4	572	
2	191	PTTCCGGACCGCTGCCAAGATCTCCAACCAGATCTTCCATGAGAGGTACACCTGTCCCAG
consensus	1141	
3	1179	
4	632 251	
1	231	CC1CCCC11GC21CCC1CCC1CCC1CCC1CCC1CCCCCCCC
consensus	1201	
•	1239	CCTTTTCTCCACTGTGTGGCCCTACCGGATGAGCAGACGGCGGCGCTATGAAGGGCACAA
3	692	
2	311	
1		
consensus	1261	***************************************
3	1299	GGTGGAGGGCTACTCAGTGGGCTGCGAGTGCTCCCCAGGCGGTGACTTGCTGGTGACGGG
4	752	COTGGAGGGCTACTCAGTGGGCTGCGAGTGCTCCCCAGGCGGTGACTTGCTGGTGACGGG
2	· 371	gctgga%gctac <mark>e</mark> cggtgggctg <mark>gagte</mark> ttcccca <mark>r</mark> etggtgac <mark>g</mark> tggtgacagg
1	1221	
consensus	1261	
		·
3		CAGCGCCGATGGCCGGGTCCTGATGTACAGCTTCCGCACAGCCAGC
4	812	
2	431	CAGCGCTGATGGCCGGGTTTTGATGTTCAGTTTCCGCACGGCCAGCCGAGCGTGCGCACT
consensus	1381	
_		
3		GUAGGGGCACACACAGGCCTGTGTCGGCACCACTA <mark>T</mark> UACCCCGTGCTGCTCCTTCCT GCAGGGGCACACACAGGCCTGTGTCGGCACCACCTACCACCCCGTGCTGCTCCCTCC
4 2	872 491	
ì		
consensus	1441	
3	1420	CGCCACCTGCTCCTGGGGAGGGGACATGAAGATCTGGCACTGAGCTTTTTGTCACTGAAC
4	932	CGCCACCTGCTCCTGGGGAGGGGACATGAAGATCTGGCACTCAGCTTTTTGTCACTGAAC
2	551	
1	_	
consensus	1501	PIC 1D
		FIG. 1B

3	1539	CTTCCCGATGCCAGCTGGGCTCTTGGACTCCCCTCTTCCTCAAGGGTAGATGAGAGGAAC
4	992	CTTCCCGATGCCAGCTGGGCTCTTGGACTCCCCTCTTCCTCAAGGGTAGATGAGAGGAAC
,	595	TGCCAACTGAGACCTGCCCCTGGGATAGGC
	232	
1		
consensus	1561	
3	1599	GAGCACAGAGGTT-GGCTGGGTCCTGGGTACCACCTTCTGAGCCTCAGTTTCCTCATC
4	1052	GAGCACAGAGGTT-GGCTGTGGGTCCTGGGTACCACCTTCTGAGCCTCAGTTTCCTCATC
2	625	G-GC-CGGAGGTCAGGCTGCTCGCGAGAGCTGCTGGGCTTCAGTGAC-TCGGC
ĭ	023	
1		
consensus	1621	
		ACCACTACACTACACTACACTACACTACACTACACTAC
3	1658	TGTAAAGTGGGGA-GAAAAGTCTGTTT-GCCTCAGGAGTGTG-AGGACTACACTAGTGA
4	1111	TGTAAAGTGGGGA-GAAAAGTCTGTTT-GCCTCAGGAGTGTGAGGACTACACTAGTGA
2	675	TATAGCATCGCCGTGAGAACCCCGTCTCGCCCCAACCCTCTCAGAACGGGG-TACCCG
1		
consensus	1681	
COMSCHOUS	1001	
•		AAGCGCCTGGCGGGCAGCCGGCGATGCCCAATAAATGTGTGTTTTGCTGTTTGTT
3	1714	AAGCGCC IGGCGGCAGCCGGCGA IGCCCAA IAAA IOGIGCTTTTCCTCTTAAAA
4	1167	AAGCGCCTGGCGGGCAGCCGCCGATGCCCAATAAATGTGTGTTTTGCTGTTTGTT
2	734	AAGTGACTGCTGGGGCGA
1		
consensus	1741	

FIG. 1B (continued)

SEO ID NO:2

FIG. 2A

SEO ID NO:3

MMILTPRPRLTLPEVGTLQVWNAVDSGHCLQTYSVHSEAVRAERWSPCGRRILSGGFDFALHLTDLETGTQVFSG QSDFRVTTLKFHPKEHNVFLCGGFSSEINRXDMRTGKVVKGYKATIQQTLDILFLQEGSEFLSSTDASTRDSADR TIIAWDFRTAAKISNQIFHERYTCPSLALHPREPVFLAQTNGNYLALFSSVWPYRMSRRRRYEGHKVEGYAVGCE CSPCGDLLVTGSADGRVLMFSFRTASRACALQGHTQACLGTSYHPVLPSVLGTCSWGGDIKIWH

FIG. 2B

PCT/US2003/026075

Exon 1 SEQ ID NO:4

ATGACAGGCTGGGTGGCGCGCGCGCGCAGCCTCCCGGTCCCTCGTGGT ACAGGTGCCCAGAGAACAGACAGCCCGGTTCCGAGCTGGATCCTCGGGGC GCGGCGCGGGGGCGTCAACCGAAGGCCCCGGCGCACCTCGGCATCCCTC CCTCGCTCCCGGCGCAGTGACCACCCCCTCCTCACTTACCGGCGGCCCCC ACTTCGGCCCCACCAGTCAGCACCCCCAAGTTCAGCCACCGGTACCTCTT GGGCGTCCGTGGAAACACCAGCCGGCTGGAATAACTTCCG

Exon 2 SEQ ID NO:5

GAAGTCACCTTTGTGTGACTGTATGGCCTCGCTGGTGGCATATGATGATT CTGACTCCGAGACCGAGGCTGACCCTGCCAGAAGTGGGGACGCTGCAG

Exon 3 SEQ ID NO:6

CTGCCTGTCTTAAGCCACTAAAACCTGCCTGG GACGTCCTCAAACCTTCTCATGATCAAAGCACATTTGAAAGCACAGCTGG AAATGCCAGCTCTTCTCAGAGGAAAAGGGGTGAGGACTGTGTGCTTCCCT ATATCCCCAAGAGGCTAAGGCAGCTGCAAGCGCTGAATCCAGAAGCAG

Exon 4 SEQ ID NO:7

TGTCTGAGTTCATCCAGCCATATTTGA
ACAGTCAGTACAGAGAGACTACGGTCCCCAAGAAAGTGCTTTTCCACCTT
CGAGGCCACAGGGGCCCGGTCAACAGCATTCAGTGGTGTCCAGTCTTTTG
CAAGAGCCACATGCTTCTCTCTCTCTCCATGGACAAAACCTTCAAG

Exon 5 SEQ ID NO:8

TTCTGCCGTGAACATGGCTATGCA
GGCACCTCTGTGGATCCCGACACAGGCTCCTTTGGGATGGACCCAG

Exon 6 SEQ ID NO:9

GAATCC
CAGAACGAAGGCCTGGCCTGGGCCTTCCTGGCCATGGCTCCTCAGTCCT
CTGGGCACCACAAAGGCTTTTTCCCAGGAAGAACGCCTTGCCTCACT
TGTAGCTGGGGTTGCCTGGGAG

SEQ ID NO:10

ggcacgagggaggaggaggtgagagtgattagtgggagaagaaaagcaggcccaggaccaagccctggggactg gggacatcctcggtgaccctgtggagcattgagccatgccagctctgtgcctggtgctgttgctggtttcaagggc gggccgccggtgggctccctgtggccggcgcatcctcagtggtggctttgacttcgcgctgcacctaacagacc $a \verb|caacatctttttatgtggaggcttcagctctgaaatgaaagcttgggatataaggactggcaaggtgatgagaa$ gctacaaggcgaccatccagcagaccttggacatcctgttcctccgggaaggctccgagttcctgagcagcacag ${\tt acgcttccacccgggactcagctgaccgcaccattattgcctgggatttccggacctctgccaaaatctccaacc}$ agattttccacgagaggttcacctgcccagcctcgccttgcacccgagagagcccgtgttcctggcacagacca atggcaactacctggcccttttctccactgtgtggccctaccggatgagcagacggcggctatgaagggcaca aggtggagggctactcagtgggctgcgagtgctccccaggcggtgacttgctggtgacgggcagcggccgatggcc ctttttgtcactgaaccttcccgatgccagctgggctcttggactcccctcttcctcaagggtagatgagaggaa cqagcacagaggttggctgtgggtcctgggtaccaccttctgagcctcagtttcctcatctgtaaagtggggaga aaagtctgtttgcctcaggagtgtgaggactacactagtgaaagcgcctggcgggcagccggcgatgcccaataa atgtgtgttttgctgtttgttaaaaaaaaaaaaaaaa

FIG. 3A

SEQ ID NO:11

MPALCLVLCWFQGLLGEVWNAVDSGHCLQTYSLHTEAVRAARWAPCGRRILSGGFDFALHLTDLETGTQLFSGRS DFRITTLKFHPKDHNIFLCGGFSSEMKAWDIRTGKVMRSYKATIQQTLDILFLREGSEFLSSTDASTRDSADRTI IAWDFRTSAKISNQIFHERFTCPSLALHPREPVFLAQTNGNYLALFSTVWPYRMSRRRRYEGHKVEGYSVGCECS PGGDLLVTGSADGRVLMYSFRTASRACTLQGHTQACVGTTYHPVLPSVLATCSWGGDMKIWH

FIG. 3B

M H consensus	1 1 1	GAGGGGTGGACCAAGACCTTCCGTGT-GTGTGTGT-GTGTGGAAGTCACGGCACGAGGAGAGAAAAAGCAGGCCCAGGACC
M H consensus	48 61 61	CTTTGTGTGACTGTATGCCCTCGCTGGTGGCATATGATG-ATTCTGAC AAGCCCTG-GGACCATCCCTCGGTGACCCTGTGAGCAT-TGAGCCATGCAGC
M H consensus	95 119 121	TCCEAGACCEAGECTGACCCTGCCAGAAGTGGGGACGCTGTGGAATGCTGTGGA TCTGTGCCTGTGCTGCTGCTTTCAAGGGCTGTTGGGACAGGTATGGAACGCCGTGGA
M H consensus	155 179 181	CTCGGGACACTGCCTGCAGACCTACTCTGTGCACAGTGAGGCAGTAAGGGCTGAACGGTGCCGGGGCACTGCCTGC
M H consensus	215 239 241	GTCTCCCTGTGGCCGGCGCATCCTCAGTGGTGGCTTTCGACTTTGGCCCTGCACCTAACAGA GGCTCCCTGTGGCCGGCGCATCCTCAGTGGTGGCTTTGACTTCGCGCGCTGCACCTAACAGA
M H consensus	275 299 301	CCTTGAAACAGGAACCCAAGTGTTTAGTGGTCAGAGTGACTTCAGAGTCACCACCTTGAA CCTTGAAACAGGAACCCAGCTATTTAGTGGTCGAAGTGACTTAGAATCACTACCTTGAA
M H consensus	335 359 361	ATTTCATCCAAAAGAACACCACCACTCTTTTTATGTGGCGGCTTCAGCTCTGAAATCAACAG
M H consensus M	395 419 421 455	GNGGGACATGAGGACTGGCAAGGTGGTGAAAGGCTACAAGGCCACCATCCAGCAGACCCT TTGGGATATAAGGACTGGCAAGGTGATGAGAAGCTACAAGGCCACCATCCAGCAGACCTT **********************************
H consensus	479 481	GGACAT CCT GTTCCTCC GGGAAGGCTCCGAGTTCCTGAGCAC ACAGACGCTTCCACCCG
M H consensus	539 541	GGACTCTGCTGACCGAACCATTATCGCCTGGGATTTCCGGACCCCTGCCAAGATCTCCAAGGACTCAAGACTCTCCAAGGACTCAAGACTCTCCAAGACTAAGACTCAAGACTAAGACTCAAGACTCAAGACTCAAGACTCAAGACTCAAGACTCAAGACTCAAGACTCAAGACTCA
M H consensus	599 601	CCAGATCTTCCATGAGAGGTACACCTGTCCCAGCCTCGCCTTGCATCCAAGGGAGCCTGTCCAGATTTTCCACGAGAGAGTTCACCTGCCCCAGCCTCGCCTTGCACCCGAGAGAGCCCGT
M H Consensus	659 661	
M H consensus	719 721	GATGAGCAGACGGAGACGCTACGAAGGTCACAAGGTGGAAGGCTACGCGGTGGGCTGTGA GATGAGCAGACGGCGGCGCTATGAAGGGCACAAGGTGGAGGGCTACTCAGTGGGCTGCGA





FIG. 4A (continued)

м	1	MMILTPRPRLTLPEVGTLOVWNAVDSGHCLQTYSVHSEAVRAPRWSPCGRRILSGGFDFA
H	1	MPALCLVLCWFQGLLGEVWNAVDSGHCLQTYSLHTEAVRAARWAPCGRRILSGGFDFA
consensus	1	* ************ ** *******
М	61	LHLTDLETGTQVFSG <mark>O</mark> SDFRYTTLKFHPKEHNYFLCGGFSSEINRXDMRTGKVVK <mark>G</mark> YKAT
Н	59	LHLTDLETGTOLFSG <mark>R</mark> SDFRITTLKFHPKDHNLFLCGGFSSEM <mark>KA</mark> WDIRTGKVMR <mark>S</mark> YKAT
consensus	61	******** ** *** *** **** ******* ** ****
М	121	IQQTLDILFLQEGSEFLSSTDASTRDSADRTIIAWDFRTAAKISNQIFHERYTCPSLALH
H	119	IQQTLDILFLREGSEFLSSTDASTRDSADRTIIAWDFRTSAKISNQIFHERFTCPSLALH
consensus	121	******
М	181	PREPVFLAQTNGNYLALFS'SVWPYRMSRRRRYEGHKVEGYAVGCECSPCGDLLVTGSADG
H	179	PREPVFLAQTNGNYLALFS TVWPYRMSRRRRYEGHKVEGYSVGCECSPGGDLLVTGSADG
consensus	181	******
М	241	RVLMESFRTASRAC <mark>A</mark> LQGHTQACLGTSYHPVLPSVLGTCSWGGDTKIWH
H	239	RVLMYSFRTASRAC <mark>T</mark> LQGHTQACNGTTYHPVLPSVLATCSWGGDMKIWH
consensus	241	***,****** ******,**,************

FIG. 4B






FIG. 5B

_	dwn]
	58	
	width	
•	. Dixel v	
	15600)
	Size	
	312946	-
	00297347-10031294	
	14:10029	
L	ion ich	
	positi	4

	2		12/23	PCT
:				
·:: .	``.			
·				
-			••	
			•	
ł			***	
				•
				· • •
		·		
1		· . · · ::		·
I		-,		• • •
		-		•
		•,	* * * * * * * * * * * * * * * * * * * *	· · · · · · · · · · · · · · · · · · ·
			· · · · · · · · · · · · · · · · · · ·	
	.			
- <u>8</u>				
Clones prieces on Victorian in the Fish 818 Newhors on grafe (Cloudy) and Assisting (Disc) Hups Refeably From Fresents				
ž Š				***
Ĭġ.		reference of the second of the		
g£.	Cap Locations Clore Coverage/Fragment Position	£ =		
des en Cytogometic Habil ic!(blue) and Radiation Assembly free Fragments	ě	four Geounice from Buff Search Johann Gries (From Refise)		
rase	s £	5-2-2		
2000	Gap Locations erage/fragment	e fro es (fro ict lons		The control of the co
26 z	9	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
20 S	3	3 0 2 0 2 3 3 4 1 1 1 2 1 1		
Clones placed on Harkers on Generic!(blu	8	Vour, Sequency Motorn Gen Motorn	į į	Haan Eff Ther Haan Eff Ind Horizon with Horizon with
8	2) · · · · ·	·	
0 P			·	· •
į				' ' !
Ē			· · · · · · · · · · · · · · · · · · ·	• •
_				
	-			····
			•	•
			" · · · · · · · · · · · · · · · · · · ·	n =

		_ : :	1	
			"	
			· · · · · · · · · · · · · · · · · · ·	1 1. 1 1.1
	"			
			··	
·	.	.		
].]		!!!!!!!!		
ليا	لبا			
STS Narters				MENT OF STATE OF STAT
STS Harters	2 8	8 777777777		MATTER CONTRACTOR OF THE PROPERTY OF THE PROPE
1 5		2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
		22222222		- 3

FIG.6A

FIG. 6B

A rchitecture

M odular S imple

R escarch

T of

Sands a al (1999) pres plat and sis (154 M; <u>287) 286.</u> Lomb a al (1977) partis also de de 18; 21.224. Homse | Literature | About | Glossark | Whatsnew | Eedbaack

Currently there are too many SMART jobs running.

Your job is no. I in the queue.

Your sequence was 100% identical to aptrembliQ9BIKSiQ9BIKS, displaying precalculated results.

8

Mouse ever danals / undefined region to see the limits; click as if to go to further amounts at rights the click to save what protein as PNC inage
Transmentates regiments as predicted by the <u>Thill MO</u> program (""), cotted out regions determined by the <u>Colleg</u> program (""") and Segments of low compositional complexity, determined by the <u>EE</u> governm (""")

Architecture analysis

Display all proteins with similar domain <u>organisation.</u> Display all proteins with similar domain <u>composition</u>.

The SIAART dayrun above represents a streamy of the results above behan. Denains with scares less eignificant dan established cade B. are not above to the diagram. Fratures are a less and above above dayrun above and a less are narried hidden.

Coufidently predicted domains, repeats, motifs and features:

nome.	beatn	end	E-value
al peptide	-	1	Ŀ
S S	24	8	4.30e-05
WD40	8	ē	1.40e+00
WD40	108	¥	1.90€+02
ND40	203	4	3.30e-01
3040 3040	247	182	2.90e-03

possible models considered, only significant TM-segments used

the number of TM-helices the models differ in

1224 STRONGLY prefered model: N-terminus inside score total orientation transmembrane helices, strong

score from

510

812 score total score orientation 812 o-i transmembrane helices, alternative model length to 25 strong from







FIG.6C











FIG. 8C











FIG. 9B



Vercession (dhssi	Windleofine andession	Nucleothe Postfor	And Andread		Protein: Finction accession
NCBI RefSeq	NM 024515.1 908	806 1	minus strand	rs13065	rs13065 NP 078791.1 unclassified
		1192	minus strand	rs13492	rs13492 NP 078791.1 unclassified
GenBank mRNA	BC003641.1	806	minus strand	rs13065	rs13065 AAH03641.1 unclassified
		1192	minus	rs13492	rs13492 AAH03641.1 unclassified

FIG.10

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.